


*Fig. 1*

Fig.2




Fig.3

MANAGEMENT DATA FILE (MGR\_DATA)

FIELD NAME	CONTENT	SIZE (bit)
USHORT DataType	MGR_DATA TYPE (FIXED)	16
USHORT DataSize	MGR_DATA SIZE	16
USHORT Version	VERSION	16
OBJPOSITION ResumeMarker	PROGRAM ID + OFFSET (ms)	32+32
BYTE TextInfo [200]	TEXT INFORMATION	200 Bytes

31

Fig.4

PROGRAM MANAGER FILE ( PRG\_MGR )

FIELD NAME	CONTENT	SIZE ( bit )
USHORT DataType	PRG_MGR TYPE (FIXED)	16
USHORT DataSize	PRG_MGR SIZE	16
ULONG PlayBackDuration	PLAYBACK DURATION OF ALL PROGRAM ( ms )	32
USHORT NumPrgInfo	NUMBER OF PROGRAM INFORMATION	16
PRG_INFO PrgInfoTbl [ NumPrgInfo ]	TABLE OF PROGRAM INFORMATION	Variable

Fig.5

PROGRAM INFORMATION ( PRG_INFO )		
FIELD NAME	CONTENT	SIZE ( bit )
USHORT DataType	PRG_INFO TYPE ( FIXED )	16
USHORT DataSize	PRG_INFO SIZE	16
51 OBJECTID PrgID	PROGRAM ID	32
52 ULONG PlaybackDuration	PLAYBACK DURATION ( ms )	32
USHORT Attribute	ATTRIBUTE ( USE PROTECT, SCENE DESCRIPTION ? )	16
USHORT Profile	PROFILE INFORMATION	16
BYTE TextInfo [ 200 ]	TEXT INFORMATION ( TITLE )	204 Byte
ULONG RepPos	SPECIFY THE PLACE WHERE MAIN PICTURE EXIST	64
53 USHORT NumRefMoi	NUMBER OF MEDIA OBJECT MANAGED BY THIS PROGRAM	16
54 ULONG RefMoiTbl [ NumRefMoi ]	OBJECT ID OF MEDIA OBJECT, PLAYBACK DURATION, TABLE SHOWING PRESENCE AND ABSENCE SUBORDINATION OBJECT	64*NumObjIDTbl
		8
BYTE NumMarker	NUMBER OF MARKER INFORMATION	8
ULONG MarkerTbl [ NumMarker ]	MARKER INFORMATION ( OFFSET VALUE ms ) TABLE	32*NumMarker

PRG\_INFO2  
PRG\_INFO1

Fig.6

PLAY LIST MANAGER FILE ( PLST\_MGR )

FIELD NAME	CONTENT	SIZE ( bit )
USHORT DataType	PLST_MGR TYPE (FIXED)	16
USHORT DataSize	PLST_MGR SIZE	16
USHORT NumPlstInfo	NUMBER OF PLAYLIST INFORMATION	16
PLST_INFO PlstInfoTbl [ NumPlstInfo ]	TABLE OF PLAYLIST INFORMATION	Variable

Fig.7

PLAYLIST INFORMATION (PLST\_INFO)

FIELD NAME		CONTENT	SIZE ( bit )		
USHORT DataType		PRG_INFO TYPE ( FIXED )	16		
USHORT DataSize		PRG_INFO SIZE	16		
ULONG PlayBackDuration		PLAYBACK DURATION ( ms )	32		
ULONG Attribute		ATTRIBUTE ( PROTECT )	16		
BYTE TextInfo [ 200 ]		TEXT INFORMATION ( TITLE )	200 Byte		
ULONG RepPos		SPECIFY THE PLACE WHERE MAIN PICTURE EXIST	64		
USHORT NumPrgID		NUMBER OF PLAYBACK PROGRAM INFORMATION MANAGED BY THIS PLAYLIST	16		
	PLAYBACK PROGRAM INFORMATION	ULONG ObjID	OBJECT ID OF PROGRAM	32	X NumPrgID
		ULONG StartPos	PLAYBACK START TIME ( ms )	32	
		ULONG EndPos	PLAYBACK END TIME ( ms )	32	
BYTE NumMarker		NUMBER OF MARKER INFORMATION	8		
ULONG MarkerTbl [ NumMarker ]		MARKER INFORMATION ( OFFSET VALUE ms ) TABLE	32*NumMarker		

Fig.8

## MEDIA OBJECT INFORMATION FILE (\*.MOI)

FIELD NAME		CONTENT	SIZE ( bit )			
USHORT DataType		MOI TYPE ( FIXED )	16			
USHORT DataSize		MOI SIZE	16			
Playback Duration		MOI PLAYBACK DURATION PTm	4			
ATTRIBUTE TextAttr		TEXT CODE USED FOR TEXT DATA ETC.	128			
BYTE TstType		TIME SEARCH TABLE TYPE ( Tst Type=1,2,3)	8			
82	81	TstType=1	USHORT TstInterval	RESOLVING POWER OF TIME SEARCH TABLE (ms)	16	
			USHORT FrameTime	REPRESENT 1 FRAME TIME WITH FRACTION ( ms )	32	
			USHORT NumTstEntry	TIME SEARCH TABLE ENTRY NUMBER	16	
			UINT16NumModui	MODU INFORMATION TABLE NUMBER	16	
			MODU INFO ModuiTbl [ NUMModui ]	MODU INFORMATION TABLE	48*NumModui	
			ENTRY	UINT16 ModuNumber	MODU NUMBER	16
				UINT8 EntryFrameDi	FRAME NUMBER FROM ONE PREVIOUS ENTRY FRAME TO TIME SEARCH ENTRY	8
				UINT32 ModuOffset	MODU POSITION ( byte )	32
			XNumTstEntry1			
			TstType=2	ENTRY	TstType=2	USHORT TstInterval
USHORT NumTstEntry2	TIME SEARCH TABLE ENTRY NUMBER	16				
UINT8 EntryFrameDiff	FRAME NUMBER FROM ONE PREVIOUS ENTRY FRAME TO TIME SEARCH ENTRY	8				
UINT32 ModuOffset	MODU POSITION ( byte )	32				
XNumTstEntry2						
TstType=3	ENTRY	TstType=3	UINT32 FrameTime	REPRESENT 1 FRAME PLAYBACK TIME WITH FRACTION ( ms )	32	
			ULONG PacketSize	PACKET SIZE ( BYTE )	32	
			BYTE NumFrame	FRAME NUMBER IN 1 PACKET	8	



Fig.9

MEDIA OBJECT UNIT INFORMATION (MODU\_INFO)

FIELD NAME	CONTENT	SIZE (bit)
USHORT EntrySize	Entry Frame SIZE (Byte)	20
USHORT ModuPbTime	FRAME NUMBER CONSTRUCT MODU	6
USHORT ModuSize	MODU SIZE (byte)	22

Fig.10




Fig.11

EXAMPLE OF EDITING PROCESS: (CREATIVE PLAYLIST MANAGER)

DETECT EDITING MODE (EDITING IS IMAGINARY EDITING ON PLAYLIST INFORMATION)

DISPLAY ALL PROGRAM INFORMATION RECORDED FROM PROGRAM MANAGER (PRG\_MGR)

DETECT NEW PLAYLIST INFORMATION CREATING MODE

NEWLY CREATED PLAYLIST INFORMATION NUMBER  $n$  IS DETERMINED FROM PLAYLIST INFORMATION IN PLAYLIST MANAGER (PLST\_MGR)

CREATE PLAYLIST INFORMATION  $n$  (PLST\_INFO  $n$ ) HEADER

ABOVE-PROCEDURE IS THEREAFTER REPEATED

DETECT INPUT OF PLAYBACK START PROGRAM AND START POSITION

RECORD PLAYBACK START PROGRAM ID AND PLAYBACK START TIME IN PLAYLIST INFORMATION  $n$

DETECT INPUT OF PLAYBACK END POSITION

RECORD PLAYBACK END PROGRAM ID AND PLAYBACK END TIME IN PLAYLIST INFORMATION  $n$

UPDATE DataSize, PlaybackDuration, NumProgID OF PLST\_INFO

UPDATE DataSize, NumPstInfo OF PLAYLIST MANAGER

DETECT EXISTING PLAYLIST MODIFYING MODE

TO SPECIFY PLAYLIST INFORMATION  $n$  (PLST\_INFO  $n$ ), CHANGE PLAYBACK START AND END POSITION OF CORRESPONDING PROGRAM FROM MODIFYING SPECIFY INFORMATION

Fig.12

## EXAMPLE OF PLAYLIST PLAYBACK PROCESS

DETECT Play OPERATION (PLAYLIST INFORMATION  $n$  IS SPECIFIED)ACCORDING TO PLAYLIST INFORMATION  $n$  (PLST\_INFO  $n$ ) IN PLAYLIST MANAGER (PLST\_MGR)

FROM BEGINNING, PLAYBACK START TIME StartPos IN FIRST SPECIFIED PROGRAM (PRG $_{nnn}$ ) IS SEQUENTIALLY COMPARED WITH MEDIA OBJECT PLAYBACK TIME MoiDuration IN CORRESPONDING PROGRAM IN PRG\_MGR, THEN BELOW-PROCEDURE IS REPEATED UNTIL  $\text{StartPos} < \text{MoiDuration}$  TO OBTAIN PLAYBACK MEDIA OBJECT INFORMATION MOV $_{mmm}$ . MOI

StartPos=StartPos-MoiDuration,  
EndPos=EndPos-MoiDuration, TO NEXT MEDIA OBJECT

Entry Pointer register=0

THEREAFTER BELOW-PROCEDURE IS REPEATED UNTIL  $\text{StartPos} < \text{TstInterval}$ 

StartPos=StartPos-TstInterval, EndPos=EndPos-TstInterval,  
Entry Pointer register=Entry Pointer register+1

OBTAIN ENTRY POINT ModuOffset INDICATED BY Entry Pointer register TO READ MEDIA OBJECT DATA FROM THE POINT, COUNTING FRAME NUMBER, IF FRAME NUMBER TO BE SENT TO DECODER IS EQUAL TO EntoryFrameDiff, WHEN TOTAL PLAYBACK TIME OF THE FOLLOWING FRAME BECOME GREATER THAN StartPos, OUTPUT DECODER OUTPUT TO DISPLAY IF SUBORDINATE MEDIA OBJECT IS SPECIFIED IN MEDIA OBJECT INFORMATION (MOV $_{ppp}$ . MOI), CORRESPONDING STREAM IS REPLACED WITH SUBORDINATE MEDIA OBJECT THEN REPRODUCE IF SCENE DESCRIPTION DATA EXIST, AND IF STILL IMAGE (PIC $_{qqq}$ . JPG), TEXT (TXT $_{qqq}$ . TXT), AND MOD ARE ORDERED TO REPRODUCE AT THE SAME TIME, REPRODUCE THOSE

THEREAFTER, BELOW-PROCEDURE IS REPEATED UNTIL  $\text{EndPos} < 0$ , CONTINUING REPRODUCTION

EndPos=EndPos-TstInterval,  
Entry Pointer register=Entry Pointer register+1

REPEAT ACCORDING TO NEXT SPECIFIED PROGRAM AND PLAYBACK START TIME

AUTOMATICALLY Stop

Fig.13

## EXAMPLE OF RANDOM PLAYBACK PROCEDURE

USER SPECIFY PROGRAM *mmm* AND START / END TIME ON TOC DISPLAY CREATED

FROM PROGRAM MANAGER (PRG\_MGR)

DETECT Play OPERATION

CHECK MEDIA OBJECT INFORMATION (MOV*mmmm*.MOI) IN SPECIFIED PROGRAM (PRG*mmm*) IN SEQUENCE FROM BEGINNING,  
AND SUBTRACTING PLAYBACK TIME (PlayDuration) FROM USER-SPECIFIED START TIME, DETECT MEDIA OBJECT NUMBER *ppp*  
INCLUDES START TIME.

FROM MOI ENTRY POINT TIME RESOLVING ABILITY (TsiInterval), DETECT PLAYBACK START Packet POSITION AND Ipacket POSITION,  
AND THEN START REPRODUCTION AT THE MEDIA OBJECT DATA (MOV*ppp*.MOD) SPECIFY POSITION

IF SUBORDINATION MEDIA OBJECT INFORMATION IS SPECIFIED IN MEDIA OBJECT INFORMATION (MOV*ppp*.MOI), CORRESPONDING  
STREAM IS REPLACED WITH SUBORDINATION AND THEN REPRODUCE

IF SCENE DESCRIPTION DATA EXIST,

AND IF STILL IMAGE (PIC*qqq*.JPG), TEXT (TXT*qqq*.TXT) AND MOD ARE ORDERED TO BE REPRODUCED AT THE SAME TIME,  
REPRODUCE THOSE

THE ABOVE-PROCEDURE IS THEREAFTER REPEATED

NEXT MEDIA OBJECT DATA (MOV*ppp*.MOD) IS REPRODUCED TOO

IF SUBORDINATION MEDIA OBJECT IS SPECIFIED IN MEDIA OBJECT INFORMATION (MOV*ppp*.MOI), CORRESPONDING STREAM IS  
REPLACED WITH SUBORDINATION AND THEN REPRODUCE

IF SCENE DESCRIPTION DATA EXIST,

AND IF STILL IMAGE (PIC*qqq*.JPG), TEXT (TXT*qqq*.TXT) AND MOD ARE ORDERED TO BE REPRODUCED AT THE SAME TIME,  
REPRODUCE THOSE

Stop AT MOD PLAYBACK POINT OF PROGRAM WHICH ACCORD WITH END TIME

Fig. 14

EXAMPLE OF FAST FORWARD / FAST REVERSE PROCEDURE

DETECT FAST FORWARD / FAST REVERSE OPERATION

READ PLAYBACK RESUME POSITION PROGRAM (PRGnnn) AND PLAYBACK RESUME TIME  
BY MANAGEMENT DATA (MGR\_DATA) RESUME MARKER

DETECT PLAYBACK START MEDIA OBJECT DATA (MOVppp.MOD) BY SUBTRACTING  
MEDIA OBJECT INFORMATION (MOVmmm.MOI) PLAYBACK TIME FROM RESUME  
MARKER PLAYBACK RESUME TIME IN SEQUENCE

ABOVE-PROCEDURE IS THEREAFTER REPEATED

OBTAIN CLOSEST MODU NUMBER BY DIVIDING PLAYBACK RESUME TIME  
REMINDER BY THE MEDIA OBJECT DATA TIME SEARCH INTERVAL TstInterval  
TO DETECT THE POSITION ModuOffset AND ENTRY SIZE

REPRODUCE 1 PICTURE

IF SUBORDINATE MOD IS SPECIFIED, REPRODUCE IT AT THE SAME TIME

IF SCENE DESCRIPTION DATA EXIST, REPRODUCE MOD,

REPRODUCE MOD, STILL IMAGE AND TEXT AT THE SAME TIME

ABOVE-PROCEDURE IS THEREAFTER REPEATED

OBTAIN NEXT, IF FORWARD / PREVIOUS, IF REVERSE MODU FROM TIME  
SEARCH TABLE TO

REPRODUCE 1 PICTURE

IF SUBORDINATE MOD IS SPECIFIED, REPRODUCE IT AT THE SAME TIME

IF SCENE DESCRIPTION DATA EXIST, REPRODUCE MOD,

REPRODUCE MOD, STILL IMAGE AND TEXT AT THE SAME TIME

REPEAT FROM BEGINNING OF NEXT MEDIA OBJECT / FROM ENDING OF  
PREVIOUS MEDIA OBJECT

REPEAT FROM BEGINNING OF NEXT PROGRAM / FROM ENDING OF PREVIOUS PROGRAM

DETECT FAST FORWARD / REVERSE OPERATION STOP, THEN RECORD PROGRAM NUMBER  
AND PLAYBACK RESUME TIME AT THE POINT IN RESUME MARKER



Fig. 16






Fig. 17




Fig.18




Fig. 19




Fig.20




Fig.21





Fig.22

(a)



(b)

INDEX NUMBER	SECTOR ADDRESS
1	00000
2	0001F
3	00027
...	...

(c)

SECTOR ADDRESS	TIME CODE
00000	00:00:00
00001	00:00:01
00002	00:00:05
...	...

(d)

SECTOR ADDRESS	CONTENT
00000	A
00001	B
00002	C
...	...

(e)

SEQUENCE HEADER	SECTOR ADDRESS
SH1	00000
SH2	0001F
SH3	00027
...	...

(f)

I PICTURE	SECTOR ADDRESS
I1	00000
I2	0001F
I3	00027
...	...